CUMULATIVE AUTHOR INDEX
Journal of Medical Entomology
Volume 32, 1995

A

Adler, A. I., 745
Aeschlimann, A., 900
Alekseev, A. N., 578
Allan, S. A., 16, 859
Anderson, J. R., 153, 407
Anderson, R. A., 705
Apperson, C. S., 138
Arlian, L. G., 34
Armstrong, P., 42
Arndt, S., 807
Asin, S. N., 399
Audtho, M., 107
Azad, A. F., 213

B

Baccaro, M. R., 420
Bak, J. M., 853
Barata, J.M.S., 126
Barker, I. K., 143
Barker, R. W., 368
Baron, R. W., 630
Barros, D. M., 249
Barth, J. F., 818
Basimike, M., 428
Beati, L., 787
Becnel, J. J., 549
Beehler, J. W., 475
Beesley, C., 375
Belloncik, S., 793
Bennett, G. W., 241
Bergo, E., 697
Bermudez, H., 663
Blackburn, B. J., 223
Blackmore, M. S., 847
Bladen, V. C., 453
Blanco, A., 126, 134
Blouin, E. F., 368
Boonsaeng, V., 107
Borovsky, D., 42
Bosseno, M.-F., 594
Botet, J., 229
Bottazzi, V., 583
Bradford, B. A., 870
Brancato, F. P., 745
Brenière, S. F., 594
Brust, R. A., 705
Bullini, L., 778
Burenkova, L. A., 578
Burge, R., 300, 306
Burge, J. R., 870
Butler, J. F., 484

C

Camacho, C., 594
Canale, D. M., 134, 583
Carper, E. R., 375
Carrasco, R., 594
Carroll, J. F., 119
Cartel, J.-L., 346
Charpentier, G., 793
Chunikhin, S. P., 578
Clark, D. D., 449
Cole, R. A., 394
Coleman, R., 300
Collins, F. H., 353
Comer, J. A., 738, 741
Comiskey, N., 734
Consolim, J., 697
Cook, B. J., 328
Craig, Jr., G. B., 27, 599, 847
Craine, N. G., 765
Cuda, J. P., 554
Cupp, E. W., 747

D

Daniels, T. J., 5, 522
Dawson, J. E., 368
De Colmenares, M., 229
Demark, J. J., 241
Devlin, B., 538
Dizij, A., 807
Dobaño, C., 229
Dohm, D. J., 818
Dotson, E. M., 234
Duan, H., 190
Ducros, G., 793
Duncan, M., 166

E

Edman, J. D., 471
Eichner, M., 67
Eisenberg, J. N., 83, 98
Emmons, R. W., 255
Estrada, M. O., 726
Evans, Jr., L. F., 554
Ewing, S. A., 368

F

Falco, R. C., 522
Farid, H. A., 384, 573
Ferro, C., 527, 538, 605, 618
Fielden, L. J., 161
Fish, D., 5, 522
Fontenille, D., 793
Fournet, F., 588
Fox, J. C., 368
French, Jr., J. B., 876
French, F. E., 197
Fritz, G. N., 663

G

Gad, A. M., 384, 573
Gaffigan, T. V., 697
Gállego, M., 229
Garcia, J. J., 549
García, B. A., 126, 134
Gern, L., 433
Gettinger, D., 439
Gettman, A. D., 554
Gillespie, T. J., 143
Ginsberg, H. S., 900
Giojalas, L. C., 399
Glick, J. I., 306
Goff, M. L., 12, 439
Golenda, C. F., 300
Greenberg, B., 21
Guerrero, F. D., 906
Guzman, H., 711

H

Hadi, U. K., 801
Haedo, A., 583

Hagan, D. V., 197
Hanson, S. M., 599
Hardy, J. L., 255, 267, 316
Harrison, R. L., 201
Hashimoto, T., 650
Hassan, A. N., 384
Häusermann, W., 27
Higgins, J. A., 213
Hinkle, N. C., 424
Ho, C.-M., 174
Holbrook, F. R., 387, 413
Hori, E., 843
Houck, M. A., 827
Howard, P. B., 138
Hu, S.-T., 174
Hu, R., 853
Humair, P.-F., 433
Hung, R. W., 730
Hunt, G., 306
Hutcheson, H. J., 827

I
Irons, K. P., 711
Isoe, J., 475

J
Janini, R., 822
Johnson, M. A., 549
Jordan, R. A., 205, 730

K
Kaburia, H.F.A., 390
Kadosaki, T., 381
Kamau, G. K., 283
Kambhampati, S., 864
Kamhawi, S., 822
Kampen, H., 807
Kang'ethe, E. K., 283, 390
Karabatsos, N., 42
Kasai, N., 420
Kawamura, Jr., A., 843
Kelly, C., 853
Kelly, P. J., 787
Kidwell, M. G., 67
Kim, Y., 685
Kiszewski, A., 67
Klein, T. A., 300, 697, 870
Kleinjan, J. E., 290
Klun, J. A., 119
Kniest, F. M., 195
Kocan, K. M., 368
Kocan, A. A., 368
Koehler, P. G., 424
Kolonin, G. V., 276
Komar, N., 42
Krafsur, E. S., 673, 685
Kramer, V. L., 375
Kunz, S. E., 726
Kurtenbach, K., 807

L
Lane, R. S., 290
Lardeux, F., 346
Lawyer, P. G., 306
Lebrun, R. A., 900
Lee, W. L., 153
Lehane, M. J., 569
Levin, M., 138
Levine, J. F., 138
Lindsay, L. R., 143
Linley, J. R., 53, 888
Liu, Y.-M., 174
Logan, T. M., 818
Lord, C. C., 66
Lothrop, H. D., 255, 267, 316, 490, 654
Lysyk, T. J., 508, 630

M
Magnarelli, L. A., 453
Marquine, M., 77
Maruyama, K., 112
Mason, P. R., 787
Mather, T. N., 853
Matthewman, L. A., 787
McEwen, S. A., 143
McLain, D. K., 353
McPherson, K. R., 870
Mead, D. G., 747
Memah, V., 361
Meola, R. W., 467
Mihok, S., 283
Milby, M. M., 255
Millar, J. G., 475
Misumi, H., 843
Mitchell, C. J., 42
Miyagi, I., 361
Modha, A., 223
Mogi, M., 181, 361
Mollet, J. A., 515
Monteny, N., 588
Moon, R. D., 673, 685
Moriniere, M., 588
Morita, K., 843
Morris, C. D., 42
Morrison, A. G., 538
Morrison, A. C., 527, 605, 618
Mullens, B. A., 310, 569
Muller, G., 882
Mutinga, M. J., 428

N
Nettles, V. F., 738, 741
Nguyen, N. L., 346
Nicholson, M. C., 853
Noireau, F., 594
Norris, D. E., 138
Novak, M., 223

O
O'Meara, G. F., 554
Oliver, Jr., J. H., 234, 353, 402, 827
Otsuji, J., 843

P
Panciera, R. J., 368
Panyim, S., 107
Pardo, R., 527, 538, 605, 618
Parsons, T. J., 697

Pasteur, N., 77
Patrican, L. A., 16, 859
Patrick, M. J., 201
Patterson, R. S., 424
Pence, D. B., 166, 394, 503, 895
Perich, M. J., 306
Peter, O., 433
Petersen, J. L., 888
Petrarca, V., 778
Piesman, J., 519
Pietrokovsky, S., 583
Podboronov, V. M., 578
Porcheron, P., 588
Portús, M., 229
Presser, S. B., 255
Pryor, N. W., 328
Pullen, S. R., 467

Q
Quiot, J.-M., 793

R
Ramachandra, R. N., 338
Randolph, S. E., 765
Raoult, D., 787
Raveloarifera, F., 778
Raymond, M., 77
Rechav, Y., 161
Reisen, W. K., 83, 98, 255, 267, 316, 375, 490, 636, 654
Reyes, O. R., 583
Riad, I. B., 573
Ribeiro, J.M.C., 67
Robinson, J. T., 143
Sabatinelli, G., 778
Saliba, E., 822
Sanchez, H. F., 726
Sanders, Jr., F. H., 402
Sannier, C., 588
Sasaki, H., 390
Schaible, U. E., 807
Schlein, Y., 882
Schmidtmann, E. T., 119
Schoeler, G. B., 290
Schulze, T. L., 205, 730
Schumaker, T.T.S., 249, 420
Schweigmann, N., 583
Scoles, G. A., 847, 864
Scott, T. W., 471
Seawright, J. A., 663
Seeley, D. C., 300
Seguí, G., 229
Seitz, H. M., 807
Sembel, D. T., 361
Sherman, R. A., 646
Shope, R. E., 42
Silvestrini, F., 778
Simon, M. M., 807
Singh, D., 21
Smith, P. T., 654
Solarz, N., 583
Solberg, V. B., 870
Sota, T., 181
Spear, R. C, 83, 98
Spielman, A., 42, 563
Stafford III, K. C., 453
Stallknecht, D. E., 738, 741
Stockwell, S. A., 306
Stoffolano, Jr., J. G., 190
Strauss, R. E., 827
Strickman, D., 306
Sugiyama, A., 112
Surgeoner, G. A., 143

T
Tabachnick, W. J., 413
Takagi, M., 112
Takahashi, M., 843
Takaoka, H., 801
Takken, W., 71
Tammariello, R. F., 563
Tamura, A., 381
Tanaka, H., 843
Tarasevich, I. V., 381
Tassanakajon, A., 107
Telleria, J., 594
Tesh, R. B., 527, 538, 605, 618, 711
Thomas, N. J., 895
Thrupp, L., 646
Tian, L., 793
Toma, T., 361
Torres, M., 527, 538, 605, 618
Tpiankijagum, S., 107
Trpis, M., 27
Tsuji, O., 843
Turell, M. J., 563, 818

U
Urbanelli, S., 778
Uspensky, I., 751

V
Vargas, F., 594
Vyszenski-Moher, D. L., 34

W
Wallich, R., 433
Walters, L. L., 711
Ward, R. A., 300
Wargo, M. J., 255
Warner, C. K., 368
Wei, Y.-H., 174
Wesson, D. M., 353, 734
Wikel, S. K., 338
Wilkerson, R. C., 697
Willemse, L.P.M., 71
Wilson, M. L., 527, 538, 605, 618
Wirtz, R. A., 306, 870
Wisnivesky-Colli, C., 583
Wolff, M., 229
Wozniak, E. J., 484
Wyle, F. A., 646

X
Xue, R.-D., 471

Y
Yaksic, N., 594
Yasuda, H., 650
Yébakima, A., 77
Yee, W. L., 407
Yeh, M.-T., 853
Yin, C.-M., 190

Z
Zam, S. G., 484
Zhioua, E., 900

CUMULATIVE SUBJECT INDEX
Journal of Medical Entomology
Volume 32, 1995

1-octen-3-ol, sampling, 283
  Stomoxys, 283

A

abundance estimation, flight activity, 508
  Stomoxys calcitrans, 508
Acari, hypoderatid deutonymph, 166, 394, 503, 895
  new host record, 394
  new species, 895
  new species descriptions, 166
  Ornithodoros (Alectorobius) talaje, 249
  piciform birds, 503
  tick biology, 249
acaricides, control, 205
  Ixodes scapularis, 205
activity, temperature, 449
  tick, 449
Aedeomyia squamipennis, egg, 888
  scanning electron micrographs, 888
Aedes aegypti, *Aedes albopictus*, 554, 847
  Aedes bahamensis, 554
  Ascogregarina, 847
  body size, 471
  ecdysteroids concentrations, 588
  Edhazardia aedis, 549
  insect growth regulators, 588
  multiple blood feeding, 471
  reproductive capacity, 549
Aedes aegypti aegypti, behavior, 27
  ecology, 27
Aedes albopictus, *Aedes aegypti*, 554, 847
  Aedes bahamensis, 554
  Ascogregarina, 847
  Dirofilaria immitis, 734
  natural infection, 734
  Sindbis virus, 818
  transmission, 818
Aedes albopictus eggs, egg diapause, 599
  overwinter survival, 599
Aedes bahamensis, *Aedes aegypti*, 554
  Aedes albopictus, 554
Aedes dorsalis, dispersal, 375
  mark—recapture, 375
Aedes polynesiensis, French Polynesia, 346
  Wuchereria bancrofti, 346
Aedes sierrensis, flight capabilities, 153
  free flight, 407
  Lambornella clarki, 153, 407
Aedes taeniorhynchus, *Culex tarsalis*, 563
  St. Louis encephalitis virus, 563
Aedes togoi, autogeny, 181
  geographic variation, 181
Aedes triseriatus, *Bacillus thuringiensis* serovar *israelensis*, 793
  cell lines, 793
African primates, *Neotrombicula*, 12
  Trombiculidae, 12
age-grading, *Culicoides*, 569
  Diptera, 569
age structure, chronological age, 685
  Musca autumnalis, 685
allozymic variability, enzyme polymorphism, 126
  Triatoma infestans, 126
Amblyomma, *Ehrlichia*, 368
  Ehrlichiosis, 368
Amblyomma americanum, repellents, 870
  ticks, 870
Amblyomma marmoreum, seasonal activity, 161
  tortoise, 161
Anopheles, bloodfeeding, 300
  salivary glands, 300
Anopheles dirus, nonradioactive detection, 107
  sibling species identification, 107
Anopheles nuneztovari, *Anopheles rangeli*, 663
  Anopheles trinkae, 663
Anopheles (Nyssorhynchus)

albitarsis Species complex, malaria vectors, 697
random amplified polymorphic DNA, 697
Anopheles rangeli, *Anopheles nuneztovari*, 663
Anopheles trinkae, 663
Anopheles trinkae, *Anopheles nuneztovari*, 663
Anopheles rangeli, 663
antibiotics, maggot therapy, 646
Phaenicia sericata, 646
antibody response, *Haematobia irritans irritans*, 630
horn flies, 630
arbovirus transmission, *Culex tarsalis*, 255
landscape ecology, 255
Argas (Persicargas) miniatus, cement production, 420
larval-tick feeding, 420
Argentina, Leeuwenhoekiidae chiggers, 439
Trombiculidae, 439
Arizona, *Lutzomyia anthophora*, 747
vector, 747
artificial membrane system, *Ctenocephalides felis*, 467
human blood, 467
Ascogregarina, *Aedes aegypti*, 847
Aedes albopictus, 847
attractants, *Sarcoptes scabiei*, 34
skin lipids, 34
autogeny, *Aedes togoi*, 181
geographic variation, 181

B

Bacillus thuringiensis serovar *israelensis*, *Aedes triseriatus*, 793
cell lines, 793
bacteria, polymerase chain reaction, 213
vectors, 213
bacteriocidal activity, saliva, 578
ticks, 578
behavior, *Aedes aegypti aegypti*, 27
ecology, 27
bioassay, *Culex tarsalis*, 475
oviposition attractant, 475
bioassay techniques, cypermethrin, 515
Dermatophagoides, 515
birds, *Ixodes scapularis*, 453
Lyme disease, 453
biting midges, *Leptoconops americanus*, 306
repellent, 306
black fly, *Simulium bidentatum*, 801
temperature, 801
Blattella germanica, movement behavior, 241
moving-image analysis, 241
blood feeding, *Anopheles*, 300
Culex, 705
mosquitoes, 705
salivary glands, 300
blood source, enzyme-linked immunosorbent assay, 390
mosquitoes, 573
Rift Valley fever, 573
tsetse, 390
blowflies, bubbling behavior, 191
dietary protein, 191
body size, *Aedes aegypti*, 471
multiple blood feeding, 471
borate, cat flea, 424
Ctenocephalides felis, 424
Borrelia afzelii, Lyme borreliosis, 433
rodents, 433
Borrelia burgdorferi, *Ixodes ricinus*, 807
larvae, 807
Lyme disease spirochetes, 519
reservoir competence, 138
rice rat, 138
ticks, 519
bubbling behavior, blowflies, 191
dietary protein, 191

C

Calliphoridae, egg morphology, 21
identification, 21
canine heartworm, *Dirofilaria immitis*, 864
mosquitoes, 864
cannibalism, predation, 650
Toxorhynchites towadensis, 650
cat flea, borate, 424

Ctenocephalides felis, 424
cell lines, *Aedes triseriatus*, 793
Bacillus thuringiensis serovar *israelensis*, 793
cement production, *Argas (Persicargas) miniatus*, 420
larval-tick feeding, 420
chronological age, age structure, 685
Musca autumnalis, 685
Chrysops, Tabanidae, 197
trapping, 197
climate, distribution, 143
Ixodes scapularis, 143
Colombia, ecology, 538
Lutzomyia longipalpis, 527, 538
sand fly ecology, 527
control, acaricides, 205
Ixodes scapularis, 205
Ctenocephalides felis, artificial membrane system, 467
borate, 424
cat flea, 424
human blood, 467
Culex, blood feeding, 705
mosquitoes, 705
Culex pipiens complex, hybridization, 778
multilocus electrophoresis, 778
Culex pipiens molestus, *Phlebotomus papatasi*, 882
plant-tissue feeding, 882
Culex pussillus, precocious ovarian development, 384
repeated autogeny, 384
Culex tarsalis, *Aedes taeniorhynchus*, 563
arbovirus transmission, 255
bioassay, 475
diapause, 654
landscape ecology, 255
life tables, 636
mark–release–recapture, 490
modeling, 83
overwintering, 654
oviposition attractant, 475
population dynamics, 83
population size, 490
St. Louis encephalitis virus, 563
survivorship, 316
temperature, 636
wing length, 316
Culex tritaeniorhynchus, rice cultivation, 112
seasonal occurrence, 112
Culicoides, age-grading, 569
diel activity, 310
Diptera, 569
host-seeking, 310
marker, 387
rubidium, 387
Culicoides variipennis, genetics, 413
subspecies, 413
cypermethrin, bioassay techniques, 515
Dermatophagoides, 515
cytokines, immune response, 338
salivary glands, 338

D

deer tick bites, *Ixodes scapularis*, 853
Lyme disease, 853
Dermacentor occidentalis, lizards, 290
Oxides pacificus, 290
Dermatophagoides, bioassay techniques, 515
cypermethrin, 515
diapause, *Culex tarsalis*, 654
overwintering, 654
diel activity, *Culicoides*, 310
host-seeking, 310
dietary protein, blowflies, 191
bubbling behavior, 191
Diptera, age-grading, 569
Culicoides, 569
Dirofilaria immitis, *Aedes albopictus*, 734
canine heartworm, 864
mosquitoes, 864
natural infection, 734
dispersal, *Aedes dorsalis*, 375
mark—recapture, 375
distribution, climate, 143
Ixodes scapularis, 143, 876
range, 876
domestic mites, Pyroglyphidae, 195
quick color reaction, 195
domestic pigs, *Lutzomyia shannoni*, 741
vesicular stomatitis virus, 741

E
eastern equine encephalomyelitis virus, mosquito, 42
polymerase chain reaction, 42
ecdysteroids concentrations, *Aedes aegypti*, 588
insect growth regulators, 588
ecology, *Aedes aegypti aegypti*, 27
behavior, 27
Colombia, 538
Lutzomyia longipalpis, 538, 605
population dynamics, 605
Edhazardia aedis, *Aedes aegypti*, 549
reproductive capacity, 549
egg, *Aedeomyia squamipennis*, 888
scanning electron micrographs, 888
egg diapause, *Aedes albopictus* eggs, 599
overwinter survival, 599
egg morphology, Calliphoridae, 21
identification, 21
Ehrlichia, *Amblyomma*, 368
Ehrlichiosis, 368
Ehrlichiosis, *Amblyomma*, 368
Ehrlichia, 368
enzyme linked immunosorbent assay, blood source, 390
Ornithodoros, 484
tsetse, 390
Western blot, 484
enzyme polymorphism, allozymic variability, 126
Triatoma guasayana, 134
Triatoma infestans, 126
Triatoma sordida, 134
Eratyrus mucronatus, sylvatic triatomines, 594
Triatoma sordida, 594
esterases, organophosphates, 77
resistance, 77

F
flight activity, abundance estimation, 508
Stomoxys calcitrans, 508
flight capabilities, *Aedes sierrensis*, 153
Lambornella clarki, 153
free flight, *Aedes sierrensis*, 407
Lambornella clarki, 407
French Polynesia, *Aedes polynesiensis*, 346
Wuchereria bancrofti, 346

G
genetics, *Culicoides variipennis*, 413
subspecies, 413
genetic structure, *Ixodes scapularis*, 353
rDNA, 353
geographic variation, *Aedes togoi*, 181
autogeny, 181

H
habitat, *Ixodes scapularis*, 66
nymphs, 66
Haematobia irritans, organophosphate susceptibility, 726
pyrethroid resistance, 726
Haematobia irritans irritans, antibody response, 630
horn flies, 630
recombinant DNA, 906
resistance, 906
Hermetia illucens, Myiasis, 745
Stratiomyidae, 745
horn flies, antibody response, 630
Haematobia irritans irritans, 630
host immunity, longevity, 234
ticks, 234
host–parasite relationships, Siphonaptera, 201
Urocyon, 201
host preferences, *Phlebotomus perniciosus*, 229
Spain, 229
host-seeking, *Culicoides*, 310
diel activity, 310
human blood, artificial membrane system, 467
Ctenocephalides felis, 467
hybridization, *Culex pipiens* complex, 778
multilocus electrophoresis, 778
Hymenolepis diminuta, phosphorus-31 nuclear magnetic resonance, 223
Tenebrio molitor, 223

hypoderatid deutonymph, Acari, 166, 394, 503, 895
new host record, 394
new species, 895
new species descriptions, 166
piciform birds, 503

I

identification, Calliphoridae, 21
egg morphology, 21
immune response, cytokines, 338
salivary glands, 338
incubation period, *Leptotrombidium akamushi*, 843
seasonal development, 843
Indonesia, mosquitoes, 361
rice fields, 361
infectivity, rectal content color, 399
Triatoma infestans, 399
insect growth regulators, *Aedes aegypti*, 588
ecdysteroids concentrations, 588
insecticides, *Ixodes scapularis*, 16, 859
tick control, 16, 859
integrated pest management, *Ixodes scapularis*, 730
Lyme disease, 730
interseasonal persistence, St. Louis encephalitis virus, 267
western equine encephalomyelitis virus, 267
Ixodes pacificus, *Ixodes scapularis*, 827
ticks, 827
Ixodes ricinus, *Borrelia burgdorferi*, 807
larvae, 807
Ixodes scapularis, acaricides, 205
birds, 453
climate, 143
control, 205
deer tick bites, 853
distribution, 143, 876
genetic structure, 353
habitat, 66
insecticides, 16, 859
integrated pest management, 730
Ixodes pacificus, 827
leg glands, 119
Lyme disease, 5, 453, 522, 730, 853
nymphs, 66
range, 876
rDNA, 353
Steinernema carpocapsae, 900
Steinernema glaseri, 900
tick abundance, 522
tick control, 16, 859
ticks, 827
white-tailed deer, 5, 119
Ixodes spp., Lyme borreliosis, 765
tick-borne deseases, 765
Ixodid ticks, physiological age, 751
tick aging, 751
Ixodidae, rickettsiae, 787
spotted fever, 787
ticks, 276
Vietnam, 276

J

Jordan Valley, *Phlebotomus papatasi*, 822
population dynamics, 822

L

Lambornella clarki, *Aedes sierrensis*, 153, 407
flight capabilities, 153
free flight, 407
landscape ecology, arbovirus transmission, 255
Culex tarsalis, 255
larva, predatory behavior, 53
Toxorhynchites, 53
larvae, *Borrelia burgdorferi*, 807
Ixodes ricinus, 807
larval-tick feeding, *Argas (Persicargas) miniatus*, 420
cement production, 420
Leeuwenhoekiidae chiggers, Argentina, 439
Trombiculidae, 439
leg glands, *Ixodes scapularis*, 119
white-tailed deer, 119
Leptoconops americanus, biting midges, 306
repellent, 306
Leptotrombidium akamushi, incubation period, 843
seasonal development, 843
life tables, *Culex tarsalis*, 636
temperature, 636
lizards, *Dermacentor occidentalis*, 290
Oxides pacificus, 290
longevity, host immunity, 234
ticks, 234
Lutzomyia anthophora, Arizona, 747

vector, 747
Lutzomyia longipalpis,
Colombia, 527, 538
ecology, 538, 605
population dynamics, 605
sand fly ecology, 527, 618
visceral leishmaniasis, 618
Lutzomyia shannoni,
domestic pigs, 741
vesicular stomatitis virus, 738, 741
white-tailed deer, 738
Lutzomyia spinicrassa,
morphology, 711
peritrophic envelope, 711
Lyme borreliosis, *Borrelia afzelii*, 433
Ixodes spp., 765
rodents, 433
tick-borne deseases, 765
Lyme disease, birds, 453
deer tick bites, 853
integrated pest management, 730
Ixodes scapularis, 5, 453, 522, 730, 853
tick abundance, 522
ticks, 402
vector competence, 402
white-tailed deer, 5
Lyme disease spirochetes, *Borrelia burgdorferi*, 519
ticks, 519

M

maggot therapy,
antibiotics, 646
Phaenicia sericata, 646
malaria vectors, *Anopheles (Nyssorhynchus) albitarsis*
Species complex, 697
random amplified polymorphic DNA, 697
mark—recapture, *Aedes dorsalis*, 375
dispersal, 375
mark–release–recapture, *Culex tarsalis*, 490
population size, 490
marker, *Culicoides*, 387
rubidium, 387
modeling, *Culex tarsalis*, 83
mosquitoes, 98
population dynamics, 83, 98
morphology, *Lutzomyia spinicrassa*, 711
peritrophic envelope, 711
mosquitoes, eastern equine
encephalomyelitis virus, 42
polymerase chain reaction, 42
blood feeding, 705
blood source, 573
canine heartworm, 864
Culex, 705
Dirofilaria immitis, 864
Indonesia, 361
modeling, 98
phylogeny, 174
population dynamics, 98
rice fields, 361
Rift Valley fever, 573
sequences, 174
movement behavior, *Blattella germanica*, 241
moving-image analysis, 241
moving-image analysis, *Blattella germanica*, 241
movement behavior, 241
multilocus electrophore sis, *Culex pipiens* complex, 778
hybridization, 778
multiple blood feeding, *Aedes aegypti*, 471
body size, 471
Musca autumnalis, age structure, 685
chronological age, 685
pterin, 673
temperature, 673
Myiasis, *Hermetia illucens*, 745
Stratiomyidae, 745

N

natural infection, *Aedes albopictus*, 734
Dirofilaria immitis, 734
Neotrombicula, African primates, 12
Trombiculidae, 12
Neotrombicula kanekoi, Russian Far East, 381
Trombiculidae, 381
new host record, Acari, 394
hypoderatid deutonymph, 394
new species, Acari, 895
hypoderatid deutonymphs, 895
new species descriptions, Acari, 166
hypoderatid deutonymphs, 166
nonradioactive detection, *Anopheles dirus*, 107

sibling species identification, 107
nymphs, habitat, 66
Ixodes scapularis, 66

O

organophosphates, esterases, 77
resistance, 77
organophosphate susceptibility, *Haematobia irritans*, 726
pyrethroid resistance, 726
Ornithodoros, enzyme linked immunosorbent assay, 484
Western blot, 484
Ornithodoros (Alectorobius) talaje, Acari, 249
tick biology, 249
overwintering, *Culex tarsalis*, 654
diapause, 654
overwinter survival, *Aedes albopictus* eggs, 599
egg diapause, 599
oviposition attractant, bioassay, 475
Culex tarsalis, 475
Oxides pacificus, *Dermacentor occidentalis*, 290
lizards, 290

P

peritrophic envelope, *Lutzomyia spinicrassa*, 711
morphology, 711
permethrin-treated screens, *Phlebotomus martini*, 428
sand flies, 428
Phaenicia sericata, antibiotics, 646
maggot therapy, 646
Phlebotomus martini, permethrin-treated screens, 428
sand flies, 428
Phlebotomus papatasi, *Culex pipiens molestus*, 882
Jordan Valley, 822
plant-tissue feeding, 882
population dynamics, 822
Phlebotomus perniciosus, host preferences, 229
Spain, 229
phosphorus-31 nuclear magnetic resonance, *Hymenolepis diminuta*, 223
Tenebrio molitor, 223
phylogeny, mosquitoes, 174
sequences, 174
physiological age, Ixodid ticks, 751
tick aging, 751
piciform birds, Acari, 503
hypoderatid deutonymphs, 503
plant-tissue feeding, *Culex pipiens molestus*, 882
Phlebotomus papatasi, 882
polymerase chain reaction, bacteria, 213
eastern equine encephalomyelitis virus, 42
mosquito, 42
vectors, 213
population dynamics, *Culex tarsalis*, 83
ecology, 605
Jordan Valley, 822
Lutzomyia longipalpis, 605
modeling, 83, 98
mosquitoes, 98
Phlebotomus papatasi, 822
population size, *Culex tarsalis*, 490
mark–release–recapture, 490
precocious ovarian development, *Culex pussillus*, 384
repeated autogeny, 384
predation, cannibalism, 650
Toxorhynchites towadensis, 650
predatory behavior, larva, 53
Toxorhynchites, 53
pterin, *Musca autumnalis*, 673
temperature, 673
pyrethroid resistance, *Haematobia irritans*, 726
organophosphate susceptibility, 726
Pyroglyphidae, domestic mites, 195
quick color reaction, 195
quick color reaction, domestic mites, 195
Pyroglyphidae, 195

R

random amplified poly morphic DNA, *Anopheles (Nyssorhynchus) albitarsis* Species complex, 697
malaria vectors, 697
range, distribution, 876
Ixodes scapularis,

876
rDNA, genetic structure, 353
Ixodes scapularis, 353
recombinant DNA, *Haematobia irritans irritans*, 906
resistance, 906
rectal content color, infectivity, 399
Triatoma infestans, 399
repeated autogeny, *Culex pussillus*, 384
precocious ovarian development, 384
repellents, *Amblyomma americanum*, 870
biting midges, 306
Leptoconops americanus, 306
ticks, 870
reproductive capacity, *Aedes aegypti*, 549
Edhazardia aedis, 549
reservoir competence, *Borrelia burgdorferi*, 138
rice rat, 138
resistance, esterases, 77
Haematobia irritans irritans, 906
organophosphates, 77
recombinant DNA, 906
rice cultivation, *Culex tritaeniorhynchus*, 112
seasonal occurrence, 112
rice fields, Indonesia, 361
mosquitoes, 361
rice rat, *Borrelia burgdorferi*, 138
reservoir competence, 138
rickettsiae, Ixodidae, 787
spotted fever, 787
Rift Valley fever, blood source, 573
mosquitoes, 573
rodents, *Borrelia afzelii*, 433
Lyme borreliosis, 433
rubidium, *Culicoides*, 387
marker, 387
Russian Far East, *Neotrombicula kanekoi*, 381
Trombiculidae, 381

S

saliva, bacteriocidal activity, 578
ticks, 578
salivary glands, *Anopheles*, 300
bloodfeeding, 300
cytokines, 338
immune response, 338
sampling, 1-octen-3-ol, 283
Stomoxys, 283
sand flies, permethrin-treated screens, 428
Phlebotomus martini, 428
sand fly ecology, Colombia, 527
Lutzomyia longipalpis, 527, 618
visceral leishmaniasis, 618
Sarcoptes scabiei, attractants, 34
skin lipids, 34
scanning electron micrographs, *Aedeomyia squamipennis*, 888
egg, 888
seasonal activity, *Amblyomma marmoreum*, 161
tortoise, 161
seasonal development, incubation period, 843
Leptotrombidium akamushi, 843
seasonal occurrence, *Culex tritaeniorhynchus*, 112
rice cultivation, 112
sequences, mosquitoes, 174
phylogeny, 174
sibling species identification, *Anopheles dirus*, 107
nonradioactive detection, 107
Simulium bidentatum, black fly, 801
temperature, 801
Sindbis virus, *Aedes albopictus*, 818
transmission, 818
Siphonaptera, host–parasite relationships, 201
Urocyon, 201
skin lipids, attractants, 34
Sarcoptes scabiei, 34
Spain, host preferences, 229
Phlebotomus perniciosus, 229
spotted fever, Ixodidae, 787
rickettsiae, 787
St. Louis encephalitis virus, *Aedes taeniorhynchus*, 563
Culex tarsalis, 563
interseasonal persistence, 267
western equine encephalomyelitis

virus, 267
Steinernema carpocapsae, *Ixodes scapularis*, 900
Steinernema glaseri, 900
Steinernema glaseri, *Ixodes scapularis*, 900
Steinernema carpocapsae, 900
Stomoxys, 1-octen-3-ol, 283
sampling, 283
Stomoxys calcitrans, abundance
estimation, 508
flight activity, 508
Stratiomyidae, *Hermetia illucens*, 745
Myiasis, 745
subspecies, *Culicoides variipennis*, 413
genetics, 413
super contraction, ultrastructure, 328
visceral muscle, 328
survivorship, *Culex tarsalis*, 316
wing length, 316
sylvatic triatomines, *Eratyrus mucronatus*, 594
Triatoma sordida, 594

T

Tabanidae, *Chrysops*, 197
trapping, 197
temperature, activity, 449
black fly, 801
Culex tarsalis, 636
life tables, 636
Musca autumnalis, 673
pterin, 673
Simulium bidentatum, 801
tick, 449
Tenebrio molitor, *Hymenolepis diminuta*, 223
phosphorus-31 nuclear magnetic resonance, 223
tick, activity, 449
temperature, 449
tick abundance, *Ixodes scapularis*, 522
Lyme disease, 522
tick aging, Ixodid ticks, 751
physiological age, 751
tick biology, Acari, 249
Ornithodoros (Alectorobius) talaje, 249
tick-borne deseases, *Ixodes* spp., 765
Lyme borreliosis, 765
tick control, insecticides, 16, 859
Ixodes scapularis, 16, 859
ticks, *Amblyomma americanum*, 870
bacteriocidal activity, 578
Borrelia burgdorferi, 519
host immunity, 234
Ixodes pacificus, 827
Ixodes scapularis, 827
Ixodidae, 276
longevity, 234
Lyme disease, 402
Lyme disease spirochetes, 519
repellents, 870
saliva, 578
vector competence, 402
Vietnam, 276
tortoise, *Amblyomma marmoreum*, 161
seasonal activity, 161
Toxorhynchites, larva, 53
predatory behavior, 53
Toxorhynchites towadensis, cannibalism, 650
predation, 650
transmission, *Aedes albopictus*, 818
Sindbis virus, 818
trapping, *Chrysops*, 197
Tabanidae, 197
Triatoma guasayana, enzyme polymorphism, 134
Triatoma infestans, 583
Triatoma sordida, 134, 583
Triatoma infestans, allozymic variability, 126
enzyme polymorphism, 126
infectivity, 399
rectal content color, 399
Triatoma guasayana, 583
Triatoma sordida, 583
Triatoma sordida, enzyme polymorphism, 134
Eratyrus mucronatus, 594
sylvatic triatomines, 594
Triatoma guasayana, 134, 583
Triatoma infestans, 583
Trombiculidae, African primates, 12
Argentina, 439
Leeuwenhoekiidae chiggers, 439

Neotrombicula, 12
Neotrombicula kanekoi, 381
Russian Far East, 381
tsetse, blood source, 390
enzyme-linked immunosorbent assay, 390

U

ultrastructure, super contraction, 328
visceral muscle, 328
Urocyon, host–parasite relationships, 201
Siphonaptera, 201

V

vector, Arizona, 747
bacteria, 213
Lutzomyia anthophora, 747
polymerase chain reaction, 213
vector competence, Lyme disease, 402
ticks, 402
vesicular stomatitis virus, domestic pigs, 741
Lutzomyia shannoni, 738, 741
white-tailed deer, 738
Vietnam, Ixodidae, 276
ticks, 276
visceral leishmaniasis, *Lutzomyia longipalpis*, 618
sand fly ecology, 618
visceral muscle, super contraction, 328
ultrastructure, 328

W

Western blot, enzyme linked immunosorbent assay, 484
Ornithodoros, 484
western equine encephalomyelitis virus, interseasonal persistence, 267
St. Louis encephalitis virus, 267
white-tailed deer, *Ixodes scapularis*, 5, 119
leg glands, 119
Lutzomyia shannoni, 738
Lyme disease, 5
vesicular stomatitis virus, 738
wing length, *Culex tarsalis*, 316
survivorship, 316
Wuchereria bancrofti, *Aedes polynesiensis*, 346
French Polynesia, 346